


1. We require a full impression of each ear that must include the full helix, crus of the helix, tragus and antitragus.
IMPORTANT: The impression **MUST** be taken completely beyond the second bend of the ear canal.
2. Use only high viscosity silicone impression material when making the impression. For best results please use 'Westone Pink' Silicast.
3. Open mouth type impressions are not required, however a 1-2 inch bite block is recommended to reduce jaw movement. It is important that the patient's jaw remain still in order to yield a fit with an optimal seal.
4. The following images are meant for reference purposes only. **We will not accept impressions that are already pre-trimmed.** Impressions must include all listed areas to be usable for custom in-ear monitors.

EXAMPLES OF GOOD IMPRESSIONS

WE REQUIRE EXTRA MATERIAL OUTSIDE OF THE EAR ABOVE THE TRAGUS




BOWL

TRAGUS

CRUS OF HELIX

CYMBA

EXTRA MATERIAL




CYMBA

2ND BEND

CRUS OF HELIX

BOWL

TRAGIC NOTCH





EXAMPLES OF BAD IMPRESSIONS

MISSING CRUS OF HELIX



MISSING TRAGUS/TRAGIC NOTCH

MISSING BOWL



CANAL DOESN'T GO PAST 2ND BEND

MISSING CYMBA





Impression/Mold Diagram

CYMBA


CRUS OF HELIX



CANAL TIP

2ND BEND

CANAL AREA



ANTI TRAGUS


TRAGUS

BOWL

APERTURE

IMPORTANT:

- Follow this guide to ensure that you will have a usable ear impression that will give you the best and most comfortable fit.
 - DO NOT mail your impressions to 64 Audio until you have received confirmation from a 64 Audio representative that your impressions meet the requirements.
 - Send in your impressions no later than 30 Days after having them made. Impression material changes over time and can impact the fit of your in-ear monitors.
1. After you receive your impressions from the audiologist, take them home and snap a few photos of them in the positions you see below.



Photography Tips

- Your impressions will not look exactly like the photos above. Do your best to copy the angles that you see. Capturing these specific angles provides us with crucial information about the quality of your impressions.
 - Place your impressions on a background where they are easily visible. Since most impression material is very light in color, a dark surface, table, or countertop works well.
 - Use plenty of light when taking your photos. The more detail we can see, the easier it will be to approve your impressions for use.
2. If you are unsure if you have taken a good enough photo, don't worry. Just send us an email of what you have to impressions@64audio.com and wait for the confirmation. We will respond within 2 to 3 business days and work with you to confirm whether or not your impressions are ready for production.
 3. Once you receive the email confirmation that your impressions are usable, proceed to the Impressions Packing Slip and follow the directions.

For questions or concerns about these instructions, please contact customer support.

IMPORTANT:

If you have not spoken to a 64 Audio representative to confirm that your impressions are approved for production, please review the **Customer Impression Guide** before you proceed with this form.

Before you begin, create a user account at www.64audio.com. After you have created an account and your impressions have been approved, complete this form, place it in the package with your ear impressions, and mail them to:

**64 Audio, ATTN: IMPRESSIONS
4510 NE 68th Dr. Suite 102
Vancouver, WA 98661**

Name of User: _____

Email: _____

Phone: _____

Have you already placed your order online? Yes _____ No _____

If you know your order number please list it here: _____

Have these impressions been approved by 64 Audio? Yes _____ No _____

Did you purchase a rush order? Yes _____ No _____

Additional Notes:
